



AIRCRAFT SPECS

Serial Number: 15279647
Airframe Time: 8495 TT
Engine Time(s): 1865 SMOH
Engine: Lycoming O-235-L2C
Propeller Time(s): 1548 SMOH
Propeller: 1A103/TCM6958

Asking Price: Call for Price

📍 Long Beach, CA

AVIONICS

Garmin GI275 (Qty. 2)

Garmin GNC 255A Com 2

Garmin GTX 327

Air Gizmos Aera 660 GPS

ADDITIONAL EQUIPMENT & INFO

UAvionix Tail Beacon W/ ADS-B Out

2007 New Carpet and Exterior Paint

WEIGHTS / FUEL

Max Gross Weight: 1,675 lbs

Empty Weight: 1,193 lbs

Useful Load: 482 lbs

Fuel Capacity: 24.5 usable gals



TURN STROBE LIGHTS OFF WHEN TAXING IN VICINITY OF OTHER AIRCRAFT, OR WHEN FLYING IN FOG OR CLOUDS. STANDARD POSITION LIGHTS TO BE USED FOR ALL NIGHT OPERATION

CAUTION
IF SPIN IS ENTERED INADVERTENTLY
1. CLOSE THE THROTTLE PROMPTLY
2. APPLY FULL OPPOSITE RUDDER
3. MOVE ELEVATOR CONTROL BRISKLY FORWARD OF NEUTRAL
4. NEUTRALIZE RUDDER AND RECOVER FROM DIVE

478P
N 39 50 E 120 150
W 210 180 W 240 210
S 270 240
DATE 9-3-24

SPINS PROHIBITED

DO NOT PUMP THROTTLE TO STRAT ENGINE

N3978P

PROTECT YOUR STARTER!
THIS AIRCRAFT IS EQUIPPED WITH A HIGH PERFORMANCE SKY-TEC STARTER.
DO NOT CRANK STARTER FOR MORE THAN 10 SECONDS!
ALLOW 30 SECONDS TO COOL DOWN BETWEEN ATTEMPTS. REPEAT UP TO 4 TIMES, THEN LET STARTER COOL FOR 30 MINUTES.

GPS FOR REFERENCE ONLY
TACH READS 75RPM LOW

INTENTIONAL SPINS AND OTHER ACROBATIC/ MANEUVERS PROHIBITED PER AD 2009-10-09.

INTERIOR



562.426.5331

sales@ocraviation.com

